

RS 4540 PA / RS 4540 PAE

PORTABLE GENERATING SET 4,5 kVA



PRODUCT OVERVIEW

MODEL		RS 4540 PA	RS 4540 PAE
Order number Generator		717059	717060
Nom. output (1~) / (3~)	kVA		2 / 4,5
Voltage (1~) / (3~)	V		230 / 400
Nom. current	A		8,7 / 6,5
Engine type			B & S 306 OHV
Fuel			gasoline 92 / 95
Generator type			asynchronous
Protection class			IP 54

RS 4540 PA / RS 4540 PAE

PORTABLE GENERATING SET 4,5 kVA



TECHNICAL DATA



ENGINE TYPE


MODEL	RS 4540 PA	RS 4540 PAE
Engine type	B & S 306 OHV	
Cylinder	1	
Rotational-speed range	rpm 3000	
Fuel	gasoline 92 / 95	
Oil	SAE 15W 40	
Engine oil volume	l 1,1	
Engine output	kW 7,1	
Cooling system	air	
Fuel tank capacity	l 16	
Hand starter (H) / electr. starter (E)	H	H / E
Fuel consumption load 100%	l / h 2,93	
Noise level	dB(A) 71	

GENERATOR TYPE

MODEL	RS 4540 PA	RS 4540 PAE
Generator type	asynchronous	
Nom. output (1~) / (3~)	kVA 2 / 4,5	
Voltage (1~) / (3~)	V 230 / 400	
Nom. current	A 8,7 / 6,5	
Frequency	Hz 50	
Protection class	IP 54	

RS 4540 PA / RS 4540 PAE

PORTABLE GENERATING SET 4,5 kVA



DIMENSIONS

MODEL		RS 4540 PA	RS 4540 PAE
Order number Generator		717059	717060
Length (L)	mm	775	
Width (W)	mm	570	
Height (H)	mm	580	
Weight	kg	72	
Tank capacity	l	16	

RS 4540 PA / RS 4540 PAE

PORTABLE GENERATING SET 4,5 kVA

ADDITIONAL OPTIONS FOR PORTABLE GENSET:



713203

Chassis (wheels and handles)



713203

Exhaust hose \varnothing 50 mm, L=1,5 / 2,5 m



713203

Earthing set 5 m

**INDIVIDUAL
SOLUTIONS**

on request

Individual solutions